



ART FILM - top-solder




ART FILM - top-solder

ART FILM - bot-solder




ART FILM - bot-solder

ART FILM - top-silk




ART FILM - top-silk

ART FILM - bot-silk




ART FILM - bot-silk

ART FILM - top-paste



ART FILM - top-paste

ART FILM - bot-paste




ART FILM - bot-paste

ART FILM - BOTTOM




ART FILM - BOTTOM

ART FILM - POWER




ART FILM - POWER

ART FILM - GND



ART FILM - GND

ART FILM - TOP



ART FILM - TOP



DRILL CHART: TOP to BOTTOM

ALL UNITS ARE IN MILS

FIGURE	SIZE	TOLERANCE	PLATED	QTY
.	8.0	+0.0/-0.0	PLATED	265
.	10.0	+0.0/-0.0	PLATED	18
°	31.496	+1.181/-1.181	PLATED	2
°	39.37	+3.0/-3.0	PLATED	2
°	59.055	+3.937/-3.937	PLATED	1
◇	62.992	+3.0/-3.0	PLATED	2
△	84.646	+3.0/-3.0	PLATED	1
°	19.685	+0.0/-0.0	NON-PLATED	2
⊗	47.244x23.622	+0.0/-0.0	PLATED	2
⊗	62.992x23.622	+0.0/-0.0	PLATED	2
⊗	70.866x23.622	+0.0/-0.0	PLATED	2
⊗	86.614x59.055	+3.937/-3.937	PLATED	4