

































DRILL CHART: TOP to BOTTOM					
ALL UNITS ARE IN MILS					
FIGURE	SIZE	TOLERANCE	PLATED	NONSTANDARD	QTY
.	8.0	+0.0/-0.0	PLATED	-	2289
■	31.496	+0.0/-0.0	PLATED	-	30
◦	31.496	+0.0/-0.0	PLATED	-	4
◦	31.5	+0.0/-0.0	PLATED	-	2
◦	31.5	+0.0/-0.0	PLATED	-	3
◆	35.039	+0.0/-0.0	PLATED	-	10
▲	35.429	+0.0/-0.0	PLATED	-	7
◦	35.433	+0.0/-0.0	PLATED	-	1
◦	39.37	+0.0/-0.0	PLATED	-	88
■	40.0	+0.0/-0.0	PLATED	-	4
◦	40.157	+0.0/-0.0	PLATED	-	4
J	43.307	+0.0/-0.0	PLATED	OTHER	1
A	52.0	+0.0/-0.0	PLATED	-	4
B	59.06	+3.0/-3.0	PLATED	-	1
C	61.811	+0.0/-0.0	PLATED	-	2
K	62.992	+0.0/-0.0	PLATED	OTHER	1
D	90.551	+0.0/-0.0	PLATED	-	4
E	98.425	+0.0/-0.0	PLATED	-	1
F	127.949	+0.0/-0.0	PLATED	-	2
◦	39.37	+0.0/-0.0	NON-PLATED	-	1
H	43.0	+0.0/-0.0	NON-PLATED	-	2
I	127.953	+0.0/-0.0	NON-PLATED	-	4
•	29.528x19.685	+0.0/-0.0	PLATED	-	3
⊗	66.929x35.429	+0.0/-0.0	PLATED	-	2
⊗	95.0x32.0	+0.0/-0.0	PLATED	-	3
⊗	106.299x35.429	+0.0/-0.0	PLATED	-	2