

Verification Report

Applicant : Pine Store Sdn Bhd

Address 18-2-15, Gembira Parade, Lorong Delima 1, Island Glades, 11700 Penang,

Malaysia.

Report on the submitted samples said to be:

Sample Name(s) : PineBuds Pro

Trade Mark : SPINE64

Part No. : PineBuds Pro

Sample Received Date : September 05, 2022

Testing Period : September 05, 2022 ~ September 09, 2022

Date of Report : September 09, 2022

Results : Please refer to next page(s).

TEST REQUEST	CONCLUSION
As specified by client, based on the performed tests on submitted sample, the result of Lead(Pb), Cadmium(Cd), Mercury(Hg), Hexavalent Chromium(Cr(VI)), PBBs, PBDEs,	
Dibutyl Phthalate(DBP), Butylbenzyl Phthalate(BBP), Di-2-ethylhexyl	PASS
Phthalate(DEHP) and Diisobutyl phthalate(DIBP) content comply with the limits set by	
RoHS Directive 2011/65/EU with amendment (EU) 2015/863.	

Signed for and on behalf of LCS

Report No.: LCSA090522054R

Young/Laboratory Manager







Results:

A. EU RoHS Directive 2011/65/EU and its amendment directives

<u>Test method:</u> With reference to IEC 62321-1:2013&IEC 62321-2:2021&IEC 62321-3-1:2013, Screening by X-ray Fluorescence Spectroscopy (XRF)

Sample	Sample	Results						Date of sample
No.	Sample Description	Cd	Pb	Pb Hg	Cr▼	Br▼		submission/
		Cu	10	IIg		PBBs	PBDEs	Resubmission
1	Black plastic sheet	BL	BL	BL	BL	BL	BL	2022-09-05
2	Silver magnet	BL	BL	BL	BL	/	/	2022-09-05
3	Black plastic sheet	BL	BL	BL	BL	BL	BL	2022-09-05
4/5/	Silver metal sheet	BL	BL	BL	BL	/	AST/LCS T	2022-09-05
5	Tin solder	BL	BL	BL	BL	/	1	2022-09-05
6	Black foam glue	BL	BL	BL	BL	BL	BL	2022-09-05
7	PCB Board	BL	BL	BL	BL	BL	BL	2022-09-05
8	Silver metal sheet	BL	BL	BL	BL	/	/	2022-09-05
9	Black plastic sheet	BL	BL	BL	BL	BL	BL	2022-09-05
10	Gold metal needle	BL	BL	BL	BL	/	/	2022-09-05
11	Grey inductance	BL	BL	BL	BL	BL	BL	2022-09-05
12	Gold metal needle	BL	BL	BL	BL	则股份	/	2022-09-05
13	Gold metal sheet	BL	BL	BL	BL	sting \an	/	2022-09-05
14	Black chip diode	BL	BL	BL	BL	BL	BL	2022-09-05
15	Black IC	BL	BL	BL	BL	BL	BL	2022-09-05
16	Black IC	BL	BL	BL	BL	BL	BL	2022-09-05
17	Black IC	BL	BL	BL	BL	BL	BL	2022-09-05
18	Yellow led lamp beads	BL	BL	BL	BL	BL	BL	2022-09-05
19	Black plastic sheet	BL	BL	BL	BL	BL	BL	2022-09-05
20	Black plastic sheet	BL	BL	BL	BL	BL	BL	2022-09-05
21	Black IC	BL	BL	BL	BL	BL	BL	2022-09-05
22	Silver crystal oscillator	BL	BL	BL	BL	/	TE LCS	2022-09-05
23	Black IC	BL	BL	BL	BL	BL	BL	2022-09-05
24	Gold metal column	BL	BL	BL	BL	/	/	2022-09-05
25	Yellow flat cable	BL	BL	BL	BL	BL	BL	2022-09-05
26	Black plastic sheet	BL	BL	BL	BL	BL	BL	2022-09-05
27	Gold metal sheet	BL	BL	BL	BL	/	/	2022-09-05
28	Silver metal sheet	BL	BL	BL	BL	/	/	2022-09-05
29	Silver Magnet	BL	BL	BL	BL	/	/	2022-09-05
30	Silver Metal Sheet	BL	₩ BL	BL	BL	mi REM	/	2022-09-05



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 901, No.40 Building, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District, Shenzhen, Guangdong, China

Report No.:	LCSA090522054R
-------------	----------------

1	Campala	Cample Ve	Results					Date of sample						
	Sample No.	Sample Description	Cd			Ph	Dh	Нα	G Cr▼ Br▼		CrV	Br♥		submission/
	110.	Description	Cu			PBBs	PBDEs	Resubmission						
	31	Gold Wire	BL	BL	BL	BL	/	/	2022-09-05					
	32	Gold Metal Ring	BL	BL	BL	BL	/	/	2022-09-05					
	33	Black Metal Screw	BL	BL	BL	BL	/	/	2022-09-05					

Note:

1. Results were obtained by XRF for primary screening, and further chemical testing by ICP(for Cd, Pb, Hg), UV-Vis(for Cr(VI)) and GC-MS(for PBBs, PBDEs) are recommended to be performed, if the concentration exceeds the below warning value according to IEC 62321-3-1:2013(Unit: mg/kg).

Element	Polymers	Metals	Composite material
Cd	BL≤(70-3σ) <x<(130+3σ)≤ol< td=""><td>BL≤(70-3σ)<x<(130+3σ)≤ol< td=""><td>LOD<x<(150+3σ)≤ol< td=""></x<(150+3σ)≤ol<></td></x<(130+3σ)≤ol<></td></x<(130+3σ)≤ol<>	BL≤(70-3σ) <x<(130+3σ)≤ol< td=""><td>LOD<x<(150+3σ)≤ol< td=""></x<(150+3σ)≤ol<></td></x<(130+3σ)≤ol<>	LOD <x<(150+3σ)≤ol< td=""></x<(150+3σ)≤ol<>
Pb	BL≤(700-3σ) <x<(1300+3σ)≤ol< td=""><td>BL≤(700-3σ)<x<(1300+3σ)≤ol< td=""><td>BL≤(500-3σ)<x<(1500+3σ)≤ol< td=""></x<(1500+3σ)≤ol<></td></x<(1300+3σ)≤ol<></td></x<(1300+3σ)≤ol<>	BL≤(700-3σ) <x<(1300+3σ)≤ol< td=""><td>BL≤(500-3σ)<x<(1500+3σ)≤ol< td=""></x<(1500+3σ)≤ol<></td></x<(1300+3σ)≤ol<>	BL≤(500-3σ) <x<(1500+3σ)≤ol< td=""></x<(1500+3σ)≤ol<>
Hg	BL≤(700-3σ) <x<(1300+3σ)≤ol< td=""><td>BL≤(700-3σ)<x<(1300+3σ)≤ol< td=""><td>BL≤(500-3σ)<x<(1500+3σ)≤ol< td=""></x<(1500+3σ)≤ol<></td></x<(1300+3σ)≤ol<></td></x<(1300+3σ)≤ol<>	BL≤(700-3σ) <x<(1300+3σ)≤ol< td=""><td>BL≤(500-3σ)<x<(1500+3σ)≤ol< td=""></x<(1500+3σ)≤ol<></td></x<(1300+3σ)≤ol<>	BL≤(500-3σ) <x<(1500+3σ)≤ol< td=""></x<(1500+3σ)≤ol<>
Cr	BL≤(700-3σ) <x< td=""><td>BL≤(700-3σ)<x< td=""><td>BL≤(500-3σ)<x< td=""></x<></td></x<></td></x<>	BL≤(700-3σ) <x< td=""><td>BL≤(500-3σ)<x< td=""></x<></td></x<>	BL≤(500-3σ) <x< td=""></x<>
Br	BL≤(300-3σ) <x< td=""><td>N/A</td><td>BL≤(250-3σ)<x< td=""></x<></td></x<>	N/A	BL≤(250-3σ) <x< td=""></x<>

Remark:

- BL= Below Limit
- OL= Over Limit
- X= The range of needing to do further testing
- 3σ = The reproducibility of analytical instruments
- N/A= Not applicable
- LOD= Detection limit
- 2. The XRF screening test for RoHS elements The reading may be different to the actual content in the sample be of non-uniformity composition.
- 3. The maximum permissible limit is quoted from the document RoHS Directive 2011/65/EU with amendment (EU) 2015/863.
- 4. ▼=For restricted substances PBBs and PBDEs, the results show the total Br content, the restricted substance was Cr(VI), and the results showed the total Cr content.



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 901, No.40 Building, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District, Shenzhen, Guangdong, China



Page 4 of 11 Report No.: LCSA090522054R

RoHS Restricted Substances	Maximum Concentration Value (mg/kg) (by weight in homogenous materials)
Cadmium(Cd)	100
Lead(Pb)	1000
Mercury(Hg)	1000
Hexavalent Chromium(Cr(VI))	1000
Polybrominated biphenyls(PBBs)	1000
Polybrominated diphenylethers(PBDEs)	1000
Dibutyl Phthalate(DBP)	1000
Butylbenzyl Phthalate(BBP)	1000
Di-(2-ethylhexyl) Phthalate(DEHP)	1000
Diisobutyl phthalate(DIBP)	1000

Disclaimers:

This XRF Screening report is for reference purposes only. The applicant shall make its/his/her own judgment as to whether the information provided in this XRF screening report is sufficient for its/his/her purposes. The result shown in this XRF screening report will differ based on various factors, including but not limited to, the sample size, thickness, area, surface flatness, equipment parameters and matrix effect (e.g. plastic, rubber, metal, glass, ceramic etc.). Further wet chemical pre-treatment with relevant chemical equipment analysis are required to obtain quantitative data.



LCS Testing Lab



B. EU RoHS Directive 2011/65/EU with amendment (EU) 2015/863 on Lead(Pb), Cadmium(Cd), Mercury(Hg), Hexavalent Chromium(Cr(VI)), PBBs, PBDEs, DBP, BBP, DEHP & DIBP content

Test method:

Lead(Pb) & Cadmium(Cd) Content:

With reference to IEC 62321-5:2013, by acid digestion and analysis was performed by inductively coupled plasma atomic emission spectrometer (ICP-OES) or Atomic absorption spectrometer (AAS).

Mercury(Hg) Content:

With reference to IEC 62321-4:2013+AMD1:2017 CSV, by acid digestion and analysis was performed by inductively coupled plasma atomic emission spectrometer (ICP-OES).

Hexavalent Chromium(Cr(VI)) Content:

With reference to IEC 62321-7-1:2015 or IEC 62321-7-2:2017, analysis was performed by UV-visible spectrophotometer (UV-Vis).

PBBs & PBDEs Content:

With reference to IEC 62321-6:2015, by solvent extraction and analysis was performed by gas chromatographic-mass spectrometer (GC-MS).

Phthalates(DBP, BBP, DEHP &DIBP) Content:

With reference to IEC 62321-8:2017, by solvent extraction and analysis was performed by gas chromatographic-mass spectrometer (GC-MS).

1) The test results of Phthalates(DBP, BBP, DEHP &DIBP)


Tested Items	MDL (mg/kg)	Results (mg/kg) 1+3+6+7+9+11	Limit (mg/kg)
Dibutyl Phthalate(DBP) Content	600	N.D.	1000
Butylbenzyl Phthalate(BBP) Content	600	N.D.	1000
Di-(2-ethylhexyl) Phthalate(DEHP) Content	600	N.D.	1000
Diisobutyl phthalate(DIBP) Content	600	N.D.	1000

Tested Items	MDL (mg/kg)	Results (mg/kg) 14+15+16+17+18+19	Limit (mg/kg)
Dibutyl Phthalate(DBP) Content	600	N.D.	1000
Butylbenzyl Phthalate(BBP) Content	600	N.D.	1000
Di-(2-ethylhexyl) Phthalate(DEHP) Content	600	N.D.	1000
Diisobutyl phthalate(DIBP) Content	600	N.D.	1000



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 901, No.40 Building, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District, Shenzhen, Guangdong, China



4	\ S / -	
J- 37	(1) La 1.8	


Tested Items	MDL	Results (mg/kg)	Limit	
	(mg/kg)	20+21+23+25+26	(mg/kg)	
Dibutyl Phthalate(DBP) Content	600	N.D.	1000	
Butylbenzyl Phthalate(BBP) Content	600	N.D.	1000	
Di-(2-ethylhexyl) Phthalate(DEHP) Content	600	N.D.	1000	
Diisobutyl phthalate(DIBP) Content	600	N.D.	1000	

Note:


- MDL = Method Detection Limit
- N.D. = Not Detected (<MDL)
- mg/kg = milligrams per kilogram
- According to customer's requirement, only the appointed materials have been tested.
- According to the customer's statement, the materials of points $1 \sim 33$ in this report are consistent with those of points 1 ~ 33 in LCSA090522060R. The raw data are directly quoted, and the referenced samples are not tested this time.

Test Process

1. Lead(Pb) & Cadmium(Cd): IEC 62321-5:2013



Mercury(Hg): IEC 62321-4:2013+AMD1:2017 CSV





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 901, No.40 Building, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District, Shenzhen, Guangdong, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity





HIM ing Lab



Report No.: LCSA090522054R

Transfer the extract into a

volumetric flask



Analyzed by GC-MS

Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 901, No.40 Building, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District, Shenzhen, Guangdong, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com Scan code to check authenticity

Make up with organic

solvent





The photo(s) of the sample









Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 901, No.40 Building, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District, Shenzhen, Guangdong, China























Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 901, No.40 Building, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District, Shenzhen, Guangdong, China








Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 901, No.40 Building, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District, Shenzhen, Guangdong, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Statement:

- The test report is invalid without the signature of the approver and the special seal for the company's report;
- The company name, address and sample information shown on the report were provided by the applicant who should be responsible for the authenticity which are not verified by LCS;
- The test results in this report are only responsible for the tested samples; 3.
- Without written approval of LCS, this report can't be reproduced except in full; 4.
- In case of any discrepancy between the corresponding Chinese and English contents in the test report, the English version shall prevail.

*** End of Report ***









Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 901, No.40 Building, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District, Shenzhen, Guangdong, China